

Prepared for:

CanniLabs

10555 W Donges Ct
Milwaukee, WI USA 53224

Crystal Resistent Hemp Distillate

Batch ID or Lot Number: COMPCRR28923	Test: Potency	Reported: 19Oct2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000259141	Started: 19Oct2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD): Potency - Broad Spectrum Analysis, 0.01% THC	Received: 18Oct2023	Status: Active

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.054	0.183	1.929	19.29	
Cannabichromenic Acid (CBCA)	0.049	0.167	ND	ND	
Cannabidiol (CBD)	0.154	0.470	47.777	477.77	
Cannabidiolic Acid (CBDA)	0.158	0.482	ND	ND	
Cannabidivarin (CBDV)	0.036	0.111	0.406	4.06	
Cannabidivarinic Acid (CBDVA)	0.066	0.201	ND	ND	
Cannabigerol (CBG)	0.030	0.104	21.900	219.00	
Cannabigerolic Acid (CBGA)	0.127	0.433	ND	ND	
Cannabinol (CBN)	0.040	0.135	2.281	22.81	
Cannabinolic Acid (CBNA)	0.087	0.296	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.152	0.516	0.525	5.25	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.003	0.009	0.170	1.70	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.002	0.008	ND	ND	
Tetrahydrocannabivarin (THCV)	0.028	0.094	<LOQ	<LOQ	
Tetrahydrocannabivarinic Acid (THCVA)	0.108	0.366	ND	ND	
Total Cannabinoids			74.988	749.88	
Total Potential THC			0.170	1.70	
Total Potential CBD			47.777	477.77	

Final Approval



Sam Smith
19Oct2023
01:54:00 PM MDT

PREPARED BY / DATE



Karen Winternheimer
19Oct2023
01:59:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/0970b1aa-0f5c-4e8a-aaaa-2ab7401a05f6>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

0970b1aa0f5c4e8aaaaa2ab7401a05f6.1